

# mu6500subccdf

November 27, 2024

---

`i2xy`

*Convert (x,y)-coordinates to single-number indices and back.*

---

## Description

Convert (x,y)-coordinates on the chip (and in the CEL file) to the single-number indices used in AffyBatch and CDF environment, and back.

## Usage

```
i2xy(i)
xy2i(x,y)
```

## Arguments

<code>x</code>	numeric. x-coordinate (from 1 to 260)
<code>y</code>	numeric. y-coordinate (from 1 to 260)
<code>i</code>	numeric. single-number index (from 1 to 67600)

## Details

Type `i2xy` and `xy2i` at the R prompt to view the function definitions.

## See Also

[mu6500subccdf](#)

## Examples

```
xy2i(5,5)
i      = 1:(260*260)
coord = i2xy(i)
j      = xy2i(coord[, "x"], coord[, "y"])
stopifnot(all(i==j))
range(coord[, "x"])
range(coord[, "y"])
```

mu6500subccdf

*mu6500subccdf*

---

**Description**

environment describing the CDF file

---

mu6500subcdim

*mu6500subcdim*

---

**Description**

environment describing the CDF dimensions

# Index

## \* datasets

i2xy, 1

mu6500subccdf, 2

mu6500subcdim, 2

i2xy, 1

mu6500subccdf, 1, 2

mu6500subcdim, 2

xy2i (i2xy), 1